



Versatility and high performance for water-based applications


Introducing Joncryl® 1616, an acrylic polymer for water-based flexo or gravure inks and OPVs

Performance

- High gloss, clarity and holdout
- Excellent printability and resolubility on press
- Very good ink viscosity stability
- Lower foaming
- Good flow and leveling

Application

- Water-based flexo and gravure inks
- Overprint varnishes
- Versatility for different press applications
- Modifier polymer for paper, paperboard, foil and film inks substrates



Industry

Printing inks and OPVs for a variety of Printing and Packaging applications:


E.g. folding cartons, labels, boxes

Joncryl® 1616

Versatile low-foaming, hard film-forming acrylic emulsion

Joncryl product line increases the effectiveness and quality of your packaging, creating versatile chemistry for numerous applications.

Joncryl 1616 is a hard film-forming RC acrylic emulsion exhibiting low foaming, high gloss and clarity, high color transfer, and excellent resolubility. Joncryl 1616 has been specifically designed for high-quality water-based flexographic and gravure inks and overprint varnishes for paper, paperboard, and foil substrates.



Joncryl 1616 sustainability benefit

- No costs for solvent abatement or explosion-proof systems
- Addresses today's environmental challenges without compromising performance and cost efficiency

Contacts

Please contact our technical service department for more help on formulating with products from the Joncryl product line.

Asia
China
Phone: +852 2731-0111
dispersions-pigments-asia@basf.com

Europe, Africa, West Asia
Netherlands
Phone: +31 513 619-619
resins@basf.com

North America
USA
Phone: +1 800 231-7868
dpsolutions@basf.com
www.basf.us/dpsolutions

South America
Brazil
Phone: +55 11 2039-2300
packaging-sa@basf.com

BASF Corporation, Charlotte, NC

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed. (01/2018)

® = Registered trademark of the BASF Group