

KaMin LLC 822 Huber Road Macon GA 31217 Main 478-750-5410 www.kaminsolutions.com



Product Description

Buca is a highly pulverized, very fine particle-size, standard brightness grade of aluminum silicate with a neutral pH. Buca is chemically inert and has been specially modified with dispersants.

Application Information

Buca is recommended for use in gravure inks and is an excellent extender in a wide variety of polymeric systems. Its neutral pH has a minimal effect on cure rates when compounded into rubber applications. Typical applications include solvent-borne gravure inks, mechanical rubber goods, rubber sealants/adhesives, BMC/SMC, and wire jacketing.

Physical Properties	Typical Value
Physical Form	Highly Pulverized Powder
Special Modifications	Dispersant
GE Brightness (%)	86
Screen Residue, 325 Mesh (%)	0.01
Free Moisture (%) measured at 105°C	1.0
pH (20% solids)	7
Median Particle Size, Sedigraph (µm)	0.4
Specific Gravity	2.58
Bulk Density, Loose lb/ft³ (kg/m³)	16 / 260
Bulk Density, Tamped lb/ft3 (kg/m3)	20 / 320
Oil Absorption, Rubout (ASTM D-281)	45

Revised April 2021 ©2022

KaMin® LLC, KaMin® and the KaMin® logo are registered trademarks of KaMin® LLC The above data are representative data for this product and should not be perceived as specifications or maximum/minimum values. The information contained herein is believed to be accurate and reliable, but KaMin® MAKES NO WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. The information herein relates only to the specific product described and not to such product in combination with any other product. Providing information as herein contained is not to be regarded by implication or otherwise as conveying any rights or permission for use which would violate any patent rights or violate any law, safety code or insurance regulation. Natural mineral products are subject to the normal variations related to the deposits from which they are mined.